## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (currently amended) A compound 8 to 80 nucleobases in length targeted to a nucleic acid molecule encoding diacylglycerol acyltransferase 2 (SEQ ID NO: 4), wherein said compound is at least 70% complementary specifically hybridizable to said nucleic acid molecule encoding diacylglycerol acyltransferase 2, and wherein said compound inhibits the expression of diacylglycerol acyltransferase 2 mRNA by at least 10% comprises at least an 8 nucleobase portion of SEQ ID NO: 35.
- 2. (original) The compound of claim 1 comprising 12 to 50 nucleobases in length.
- 3. (original) The compound of claim 2 comprising 15 to 30 nucleobases in length.
  - 4. (original) The compound of claim 1 comprising an oligonucleotide.
- 5. (original) The compound of claim 4 comprising an antisense oligonucleotide.
  - 6. (original) The compound of claim 4 comprising a DNA oligonucleotide.
- 7. (original) The compound of claim 4 comprising an RNA oligonucleotide.

-8. - (original) The compound of claim 4 comprising a chimeric oligonucleotide.

- 9. (original) The compound of claim 4 wherein at least a portion of said compound hybridizes with RNA to form an oligonucleotide-RNA duplex.
- 10. (original) The compound of claim 1 having at least 80% complementarity with said nucleic acid molecule encoding diacylglycerol acyltransferase 2.
- 11. (original) The compound of claim 1 having at least 90% complementarity with said nucleic acid molecule encoding diacylglycerol acyltransferase 2.
- 12. (original) The compound of claim 1 having at least 95% complementarity with said nucleic acid molecule encoding diacylglycerol acyltransferase 2.
- 13. (original) The compound of claim 1 having at least 99% complementarity with said nucleic acid molecule encoding diacylglycerol acyltransferase 2.
- 14. (original) The compound of claim 1 having at least one modified internucleoside linkage, sugar moiety, or nucleobase.
- 15. (original) The compound of claim 1 having at least one 2'-O-methoxyethyl sugar moiety.

- - 16. (original) The compound of claim 1 having at least one phosphorothioate internucleoside linkage.

- 17. (original) The compound of claim 1 having at least one 5-methylcytosine.
- 18. (withdrawn) A method of inhibiting the expression of diacylglycerol acyltransferase 2 in a cell or tissue comprising contacting said cell or tissue with the compound of claim 1 so that expression of diacylglycerol acyltransferase 2 is inhibited.
  - 19-21. (cancelled)
  - 22. (original) A kit or assay device comprising the compound of claim 1.
- 23. (withdrawn) A method of ameliorating or lessening the severity of a condition in an animal comprising contacting said animal with an effective amount of the compound of claim 1 so that expression of diacylglycerol acyltransferase 2 is inhibited and measurement of one or more physical indicia of said condition indicates a lessening of the severity of said condition.
- 24. (withdrawn) The method of claim 23 wherein the condition is a cardiovascular disorder.
  - 25. (withdrawn) The method of claim 23 wherein the condition is obesity.
- 26. (withdrawn) The method of claim 25 wherein the obesity is dietinduced.

27. (withdrawn) The method of claim 25 wherein physical indicia of obesity is increased fat.

- 28. (withdrawn) The method of claim 23 wherein the condition is diabetes.
- 29. (withdrawn) The method of claim 23 wherein the condition is cholesterolemia.
- 30. (withdrawn) The method of claim 23 wherein the condition is liver steatosis.
  - 31. (withdrawn) The method of claim 23 wherein the animal is obese.
  - 32. (withdrawn) The method of claim 23 wherein the animal is a mammal.
- 33. (withdrawn) A method of lowering serum free fatty acids in an animal comprising contacting said animal with an effective amount of the compound of claim 4.
- 34. (withdrawn) A method of lowering serum triglycerides in an animal comprising contacting said animal with an effective amount of the compound of claim 4.
- 35. (withdrawn) A method of lowering HDL cholesterol in an animal comprising contacting said animal with an effective amount of the compound of claim 4.
- 36. (withdrawn) A method of lowering total serum cholesterol in an animal comprising contacting said animal with an effective amount of the compound of claim 4.
- 37. (withdrawn) A method of lowering plasma insulin in an animal comprising contacting said animal with an effective amount of the compound of claim 4.

38. (withdrawn) A method of lowering hepatic triglycerides in an animal comprising contacting said animal with an effective amount of the compound of claim 4.

- 39. (withdrawn) The method of claim 37 wherein said plasma insulin levels are lowered at two weeks after said contacting.
- 40. (withdrawn) The method of claim 37 wherein said plasma insulin levels are lowered at four weeks after said contacting.

## 41-43. (cancelled)

44. (original) The compound of claim 1, wherein said compound comprises an antisense nucleic acid molecule that is specifically hybridizable with a coding region of the diacylglycerol acyltransferase 2 (SEQ ID NO: 4).

## 45-48. (cancelled)

- 49. (withdrawn) A method of inhibiting the expression of diacylglycerol acyltransferase 2 in a cell or tissue of an animal comprising contacting said cell or tissue with the compound of claim 1 so that expression of diacylglycerol acyltransferase 2 is inhibited.
- 50. (withdrawn) The method of claim 49 wherein said tissue is white adipose tissue.
- 51. (withdrawn) The method of claim 49 wherein the tissue is brown adipose tissue.

- - 52.- (withdrawn) - A method of modulating fatty acid synthesis in an animal comprising contacting said animal with the compound of claim 4.

- 53. (withdrawn) A method of modulating lipogenesis in an animal comprising contacting said animal with the compound of claim 4.
- 54. (withdrawn) A method of modulating gluconeogenesis in an animal comprising contacting said animal with the compound of claim 4.
- 55. (withdrawn) A method of reducing the liver weight of an animal comprising contacting said animal with the compound of claim 4.
  - 56. (withdrawn) The method of claim 55 wherein the animal is obese.
  - 57. (withdrawn) The method of claim 55 wherein the animal is diabetic.